

# Price of Handheld Dimmable Attenuator



## Overview

Budget Pick: Shenzhen Mingweida's NK305 series offers 60dB range under \$250, ideal for high-volume teams. Premium Choice: EXFO FVA-600 delivers laboratory-grade accuracy for R&D applications. Attenuators are designed to reduce the power of a signal with minimal effect on its waveform. By using the Co-Browse feature, you are agreeing to allow a support representative from DigiKey to view your browser. Attenuators The ATN00-0040PSM is a surface mount GaAs MMIC 0dB attenuator in a DFN package. 4GHz ultra-wide measuring frequency range, spectrum analyzer for 0. Switchable resolution band pass filters for both ranges between 200Hz to 850kHz. By reducing signal intensity in a controlled manner, these devices prevent receiver overload, enable accurate testing, and ensure optimal system. Find many great new & used options and get the best deals for QTY:1 980nm Multimode Hand Dimmable Attenuator / Hand Dimmable Attenuator at the best online prices at eBay! Free shipping for many products!Based on MEMS (Micro Electrical Mechanics System) technology, this electrically variable optical att. FOA is a plug-type single mode attenuator (multimode fiber attenuators also available).

## Article Content

Amazon : Industrial Electrical Attenuators

Online shopping for Industrial & Scientific from a great selection of Fiber Optic Attenuators, Radio Frequency Attenuators & more at everyday low prices.

Optical Attenuator with 60dB Range & Low Insertion

Overview GAOTek optical handheld variable attenuators are compact, portable instruments provides low insertion loss but wide attenuation, it ranges from 3

Attenuators | RF and Wireless | DigiKey

Shop DigiKey's large in-stock selection of Attenuators. View inventory, pricing and order now for same day shipping!

RF Attenuators

RF Attenuators Fixed, Digital Step, Voltage Variable, & Programmable Over 400 coaxial, surface mount, and MMIC attenuator models for 50-Ohm & 75-Ohm

Optical attenuator

Product Overview: The Handheld Tunable Multimode Optical Attenuator is an accurate, durable, portable meter designed specifically for the installation, operation, and maintenance of fiber optic

SeeSii TinySA Ultra+ ZS406 Spectrum Analyzer with 50W Attenuator,

Features a 4.0-inch HD touchscreen with up to 450 scan points for clear visualization of complex spectrum data. In contrast, ESD protection and the latest V0.4.6.1 hardware system deliver

RF Attenuators, Fixed Coaxial Attenuators, Variable Attenuators

Fixed coaxial RF attenuator for sale online at best price, frequency range from DC to 4GHz, attenuation value 10dB, impedance 50 Ohm, average input power 50W at 25°C. ATO coaxial attenuator is an

ATT-20 Variable Attenuator | Scanner Master

ATT-20 Variable Attenuator useable frequency range: 0,1 - 1000 MHz attenuation: 0 to 20dB continuously variable control: 3 turns of the knob for the range 0 to -20dB insertion loss at 0dB stop:

Handheld Variable Optical Attenuator at best price in

Handheld Variable Optical Attenuator Submit Requirement Our valuable clients can access from us a high quality array of Handheld Variable

Variable Optical Attenuator | Kingfisher International

Variable Optical Attenuator & Power Meter KI2000 Series (COMING SOON) Precision handheld instrument to test optical system margin & linearity. Superior specifications, high productivity and

Variable Optical Attenuator

Our valuable clients can access from us a high quality array of Handheld Variable Optical Attenuator at most competitive price. This product is highly demanded and acknowledge for their quality and work.

FS3301B Handheld Optical Variable Attenuator (0~60dB)

Fiberinthebox handheld variable optical attenuator FS3301B is a compact instrument widely used in fiber link certification and routine maintenance. Buy Digital Variable Optical Attenuator FS3301B with best

FC/PC Single Mode Handheld Optical Variable

Buy FC/PC handheld variable single mode fibre optic attenuator from reliable fibre optics supplier - FS , same-day shipping.

KI 7010 Series Variable Optical Attenuators Kingfisher

Digital Variable Handheld Attenuator; Fiber Type SM, MM, POF; 650-1550 nm; Attenuation Range 2.0-60 dB; Resolution 0.05 dB; RL 60 dB Kingfisher's KI 7010

Variable Optical Attenuator, Multi Mode - Signal Solutions

The KI 7020B hand held Fiber Optic Variable Attenuator is a precision handheld instrument commonly used for testing 50u multimode mode fiber sytems for

Handheld Fibre Optical Attenuator with 60dB Range

Handheld Fibre Optical Attenuator allows continuous optical signal attenuation up to 60dB with precise 0.05dB step adjustments.

OLA-55M Handheld Optical Level Attenuators VIAVI

Viavi Solutions' OLA-55M series of SmartClass motorized optical level attenuators are future-proof, improved variable attenuators for fiber system testing as well as

JDSU OLA-55 Handheld Dimmable Attenuator | Shopee Philippines

Buy JDSU OLA-55 Handheld Dimmable Attenuator online today! Dear Sir/Madam, Thank you for visiting our store! ☐The quality of our products is original quality, the price is proportional to the material

Handheld Optical Fiber Variable Attenuator RY3301A ...

Tax excluded, add at checkout if applicable Handheld Optical Fiber Variable Attenuator RY3301A adjustable optical attenuator fiber tester 0-30DB/0-60DB

Handheld Optical Attenuators

The Handheld Optical Attenuators market size, estimations, and forecasts are provided in terms of sales volume (K Units) and sales revenue (\$ millions), considering 2023 as the base year, with history and

FVA-600 | Optical Attenuator | Optical Testing

Designed for optimal flexibility and field usability, the FVA-600 delivers the highest performance within handheld optical attenuators on the

FITB71896VGU | JW3303

FITB71896VGU | JW3303 - Fiber Optic Attenuator from Fiberinthebox. Get product specifications, Download the Datasheet, Request a Quote and get pricing for FITB71896VGU | JW3303 on

Handheld Variable Optical Attenuators: Best Picks for 2025

Need handheld variable optical attenuators? Discover top-rated, high-precision tools for fiber testing and network maintenance. Click to explore reliable options with adjustable attenuation

MeterTo Handheld Optical Variable Attenuator JW3303 Dimmable

MeterTo Handheld Optical Variable Attenuator JW3303 Dimmable Attenuator 1260~1650nm Fiber 9/125um SM 2~60dB in Multi Testers.

QTY:1 980nm Multimode Hand Dimmable Attenuator / Hand

Find many great new & used options and get the best deals for QTY:1 980nm Multimode Hand Dimmable Attenuator / Hand Dimmable Attenuator at the best online prices at eBay!

Attenuators

Handheld Variable Optical Attenuator - 1310 or 1550nm This handheld instrument has an electrically driven variable optical fiber attenuator as its key ele...

Handheld Variable Optical Attenuator

Discover handheld variable optical attenuators with 0.05dB resolution, 1310/1550nm calibration, and digital attenuation for precise fiber testing.

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.ourensemeeting.es>

Email: [sales@ourensemeeting.es](mailto:sales@ourensemeeting.es)

Phone: +34 685 473 921

Address: Calle de Alcalá, 25, 28014 Madrid, Spain

This document is for informational purposes only. Specifications subject to change without notice.

