

Tuvalu 630nmpm Polarization-Maintaining Fiber Optic Patch Cord



Overview

Product features

- Slow Axis Alignment
- Polarization-maintaining fiber with a pair of FC/APC connectors
- Wavelength range of 400-2200 nm
- Narrow key (2 mm) and slow axis alignment
- Typical 60 dB return loss
- Ceramic ferrule, 8° angle (APC)
- Ø3mm outer protective sleeve
- Custom patch.

Product features

- Slow Axis Alignment
- Polarization-maintaining fiber with a pair of FC/APC connectors
- Wavelength range of 400-2200 nm
- Narrow key (2 mm) and slow axis alignment
- Typical 60 dB return loss
- Ceramic ferrule, 8° angle (APC)
- Ø3mm outer protective sleeve
- Custom patch.

These polarization-maintaining fiber optic patch cords feature high-quality, narrow-key ceramic FC/APC connectors on both ends. Produced by our equipment, each patch cord is individually tested at the test wavelength specified in the specification label, ensuring extinction ratio and low back. Thorlabs offers Polarization-Maintaining (PM) Single Mode Fiber Optic Patch Cables with a variety of connector options, including FC/PC, FC/APC, and hybrid FC/PC to FC/APC cables. This patch cord is 1 meter long with FC/APC connectors at both ends. Polarization Maintaining Patch-cord (Polarization Maintaining jumper) have orthogonal “slow” and “fast” axes.

Article Content

Standard Polarization Maintaining Fibers

Standard Polarization Maintaining Fibers Model: standard-polarization-maintaining-fibers Request a Quote Compare

Polarization-Maintaining Single Mode Optical Fiber

Features Maintain Polarization State of Input PANDA or Bow-Tie Fiber Specialized Photosensitive, Dispersion-Compensating, and Bend/Temperature-Insensitive

Polarization-maintaining optical fiber

Polarization-maintaining optical fiber Image of the cross section of a polarization-maintaining optical fiber patch cord, taken with an illuminated microscopic viewer

Polarization-Maintaining Fiber Optical Patch Cable

Each cable is individually tested to ensure the specified extinction ratio and insertion loss at fiber-to-fiber junctions. Each patch cable includes two protective caps that shield the ferrule ends from dust and

Polarization Maintaining Fiber Optic Patchcords

Polarization Maintaining Fiber Optic Patchcords are ideal for applications including beam delivery, telecommunications, fiber optic sensing. Each connector is engraved with the fiber type for easy

For more Info

Polarization maintaining (PM) optical patch cords are widely used in polarization sensitive fiber optical systems for transmission of light that requires the PM state to be maintained.

Polarization-Maintaining FC/PC Fiber Optic Patch Cables

These polarization-maintaining fiber optic patch cables are terminated on both ends with high-quality, narrow key, ceramic FC/PC connectors. These cables are

630 nm Polarization Maintaining Fiber Optic Connector/Patch Cord

These patch cords are in stock, featuring high-quality polishing to guarantee a typical return loss exceeding 60 dB. The test data sheet provides the extinction ratio and insertion loss test results for

F-PM630 Polarization Maintaining Optical Fiber

The F-PM630 Polarization Maintaining Fiber offers low attenuation and excellent birefringence for high performance applications. This Corning PANDA PM fiber has a 630 nm operating wavelength with

630nm Polarization Maintaining Patch-cord

Our PM patch cord features high extinction ratio, low insertion loss, high return loss and long term reliability. Various PM fiber and connectors are available.

Polarization Maintaining Fiber Optic Patch Cord PM630-HP FC/APC

Manufactured with polarization maintaining panda fiber, this patch cord is expertly terminated with a range of fiber connectors including FC, SC, LC, ST, MU, MPO, and MTP. The connectors are

Polarization-Maintaining Single Mode Patch Cables

In addition to our stocked polarization-maintaining patch cables, we offer a custom fiber optic patch cable service with many options eligible for same-day shipment. Please contact Tech Support for

Understanding Polarization-Maintaining Visible Light

As the demand for precision optical systems continues to rise, polarization-maintaining visible light patch cords will likely become even more

Polarization Maintaining Fiber Cables | PM Fiber Cables

Polarization-maintaining, single-mode fiber cable with Gaussian intensity distribution and low-stress fiber connectors. Cut-off wavelengths from 360 nm to 1550 nm

Polarization Maintaining Fiber Patch cord

Polarization Maintaining Fiber Patch cord Features High Isolation Low Insertion Loss Large Aperture Features Specifications

1550nm Fujikara PM Fiber Jumper Polarization

1550nm Fujikara PM Fiber Jumper Polarization Maintaining Fiber Optic Patch Cord
Precise refractive index distribution Good load-carrying symmetry

630 nm PM Fiber Connectors/Patch Cables

These polarization-maintaining fiber patch cords offered by Idealphotonics feature high-quality, narrow-pin ceramic FC/APC connectors on both ends. Produced in our facilities, each patch cord is

F-PM630 Datasheet

If you need custom configuration, please use our custom patch configurator model:
Applications High-data-rate communications systems Polarization-sensitive components Raman amplifiers Fiber optic

Polarization Maintaining Fiber Optic Patch Cord PM630-HP FC/APC

The Polarization Maintaining Fiber Optic Patch Cord PM630-HP FC/APC-FC/APC with a PM630-HP (620-850nm) fiber type and 2m long patch cord is a high-quality fiber optic solution designed for

780 nm Polarization Maintaining Fiber Optic Connector/Patch Cord

These polarization-maintaining fiber optic patch cords feature high-quality, narrow-key ceramic FC/APC connectors on both ends. Produced by our equipment, each patch cord is individually tested at the

Polarization-Maintaining Hybrid Fiber Optic Patch Cables

The following tutorial details damage mechanisms relevant to unterminated (bare) fiber, terminated optical fiber, and other fiber components from laser light sources.

630nm Polarization Maintaining Patch-cord

630nm Polarization maintaining (PM) optical patch cords are widely used in polarization sensitive fiber optical systems for transmission of light that requires the PM state to be maintained. Polarization

Standard PM Fiber Patchcord Datasheet

Description These fiber optic diaphragm cables maintain polarization using high quality narrow key ceramic FC/PC connectors at both ends. These cables are available off the shelf and have a high

Polarization-Maintaining Fiber series | Telecommunication Systems ...

High dimensional accuracy and circular stress-inducing sections achieve excellent polarization maintenance. Fujikura's PANDA (Polarization-maintaining AND Absorption-reducing) fiber offers low

F-PM630-C-1FCAPC PM Fiber Patch Cable

The F-PM630-C-1FCAPC Polarization Maintaining Fiber Patch cord uses F-PM630 fiber for 630 nm operation. This patch cord is 1 meter long with FC/APC connectors at both ends. FC/APC PM patch

Polarization-Maintaining FC/APC Fiber Optic Patch Cables

These polarization-maintaining fiber optic patch cables are terminated on both ends with narrow key, ceramic-ferrule FC/APC connectors. Available from stock, these cables feature a high-quality polish,

Polarization Maintaining Patchcord

Specification Polarization Maintaining Patchcord GEZHI Polarization Maintaining (PM) patchcords are based on a high precision butt-style connection technique.

Polarization Maintaining Patchcord, Hybrid FC, 0.12NA, 620-850nm, 1m

Polarization Maintaining Fiber Optic Patchcords are available with FC/PC or FC/APC terminated connectors. Hybrid terminated connectors enable users to adapt FC/PC or FC/APC patchcords for

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.ourensemeeting.es>

Email: sales@ourensemeeting.es

Phone: +34 685 473 921

Address: Calle de Alcalá, 25, 28014 Madrid, Spain

This document is for informational purposes only. Specifications subject to change without notice.

