

Fn optical module



Overview

The FN-TRAN-QSFP28-LR compatible optical transceiver module is designed with duplex LC connectors, reaching a link up to 10km over single-mode fiber (SMF). 3ba 100GBASE-LR4, QSFP28 MSA standard. Common connectivity problems in enterprise and data center networks are often traced back to low-quality and incompatible transceiver modules, rather than a fault in the network appliances themselves. Fortinet's transceivers have been purpose-built and tested to work with Fortinet equipment. Fortinet FN-TRAN-QSFP28-BiDi Compatible 100GBASE-SR SWDM4 QSFP28 BiDi 850/880/910/940nm 100m DOM Duplex LC/UPC MMF Optical Transceiver Module - FS. com Europe FS EuropeFREE SHIPPING on Orders Over EUR 79 VAT excl. Module has minimum guaranteed optical budget of 1. The 40G/100G QSFP28 BIDI supports dual rate 40Gb/s and 100Gb/s bit rates the module integrates four host electrical data.



Article Content

Dell PowerEdge FN I/O Module

The FN I/O Module (FN IOM) is designed specifically for the PowerEdge FX2 converged-infrastructure platform, part of the PowerEdge FX architecture. Its simplified network management and

FN-TRAN-QSFP28-BIDI QSFP28 kompatibel zu Fortinet

Der FN-TRAN-QSFP28-BIDI Transceiver ist ein steckbares optisches QSFP28 Modul, welches für den Einsatz in 100G Multimode Glasfaser Netzwerken mit Fortinet Hardware geeignet ist.

FN-TRAN-QSFP28-BIDI Fortinet compatible 100G BIDI

Fortinet FN-TRAN-QSFP28-BIDI compatible QSFP28 BIDI Optical Module supporting 100Gbps data rate in 150m distance over Multi-Mode Fiber (MMF), LC

FN-TRAN-QSFP28-BIDI module for Fortinet Duplex

The 40G/100G QSFP28 BIDI supports dual rate 40Gb/s and 100Gb/s bit rates the module integrates four host electrical data into two optical lanes via Dual

Fortinet FN-TRAN-SFP+SR Compatible 10Gbps SFP+ 10GBASE-SR

Fortinet FN-TRAN-SFP+SR compatible optical transceiver is a dual fiber 10Gbps Small Form-factor Pluggable SFP+ module for use in 10GBASE Ethernet network. SFP+ SR provides 10.31Gb/s

Fortinet FN-TRAN-QSFP28-LR Compatible 100GBASE

The Fortinet FN-TRAN-QSFP28-LR compatible optical transceiver module is

Fortinet FN-TRAN-QSFP28-BiDi Compatible 100GBASE-SR SWDM4

Fortinet FN-TRAN-QSFP28-BIDI Compatible 100GBASE-SR SWDM4 QSFP28 Bi-Directional Optical Transceiver Module for Ethernet and Data Center (MMF, 850/880/910/940nm, 100m, LC, DOM)

FN2013-U1 / FN2014-U1 fiber-optic interface modules, Data Sheet

A6V10238819_en.pdf Product Family Cerberus PRO Modular FireFinder XLS Cerberus PRO Voice Modular Desigo Fire Safety Modular Product Group Fire - Alarm Equipment Content

Siemens FN2006-U1 and FN2007-U1 Desigo Single-Mode Mult.

Download Siemens FN2006-U1 and FN2007-U1 Desigo Single-Mode Multi-Mode Fiber-Optic Module, Data Sheet PDF. Fire Alarm Resources has free fire alarm PDF man...

Datasheet

Each fiber-optic module contains five (5) light-emitting diode (LED) indicators for system power and system status. The Power LED is green and lights whenever there is 24VDC. Both channels [A and

FN-TRAN-QSFP28-LR-FL Fortinet 100GBase-LR4

The FN-TRAN-QSFP28-LR-FL is a 103/112 Gbps transceiver module designed for optical communication applications compliant to 100GBASE-LR4 of the IEEE

Fortinet FN-TRAN-QSFP28-LR 100GBASE-LR4 10km

Fortinet compatible FN-TRAN-QSFP28-LR QSFP28 optical transceiver modules from QSFPTEK equipped with LC duplex connectors that can transmit 10km

Fortinet FN-TRAN-SFP28-SR 25GBASE-SR | €14.53 | EDGE Optical

Fortinet FN-TRAN-SFP28-SR compatible 25GBASE-SR SFP28, 850nm, 100m. Fortinet-coded for FortiGate/FortiSwitch. €14.53. EU stock + lifetime warranty.

Fortinet SFP+ Module

Product Name: SFP+ Module Marketing Information: Fortinet's range of pluggable copper and optical transceiver modules are designed to complement Fortinet

Fortinet FN-TRAN-SFP28-SR Compatible 25Gbps

Fortinet FN-TRAN-SFP28-SR compatible optical transceiver is a dual fiber 25Gbps Small Form-factor Pluggable SFP28 module for use in 25GBASE Ethernet

Fortinet Compatible FN-TRAN-QSFP+ER QSFP Module

Fortinet FN-TRAN-QSFP+ER compatible QSFP+ Optical Transceiver supporting 40Gbps data rate in 40km distance over Single-Mode Fiber (SMF), LC connectors

FN-TRAN-QSFP+SR Fortinet compatible 40G QSFP

Fortinet FN-TRAN-QSFP+SR compatible QSFP+ Optical Transceiver supporting 40Gbps data rate in 150m distance over Multi-Mode Fiber (MMF)MTP/MPO

FN Handgun Accessories

OpticsPlanet provides a wide assortment of accessories for FN handguns including holsters, lights, grips, laser sights, night sights and more! Check out a number of

Fortinet SFP+ Module

For Data Networking, Optical Network - 1 x 10GBase-LR Network - Optical Fiber10 Gigabit Ethernet - 10GBase-LRFortinet's range of pluggable copper and optical transceiver modules are

Fortinet Transceiver: A Comprehensive Guide to SFP

While FN-TRAN-SX is lower gigabit ethernet networks, FN-TRAN-SFP+SR module covers 10g speeds and is thus intended for higher bandwidth

Fn-tran-sfp28-sr-c Datasheet

At the heart of our company is the ability to provide state-of-the-art optical transport and connectivity solutions that are compatible with more than 100 optical switching and transport platforms.

Fortinet FN-TRAN-QSFP28-BIDI QSFP28 100GBASE-SR2-Bidi

This preselection of the world's best components for optical transceiver modules leads to an above-average service life of all FN-TRAN-QSFP28-BIDI compatible BlueOptics 100GBASE-SR2-Bidi LC

Network Fiber Modules

The fiber-optic interface modules are powered by 24VDC from the fire-alarm control panels. Models FN2013-U1 and FN2014-U1 can be powered from the Model PSC-12 power supply or Model PSX-12

Fortinet Transceivers Datasheet

Fortinet's range of pluggable copper and optical transceiver modules are designed to complement Fortinet appliances that support transceiver module slots, including the FortiGate®, FortiSwitch™,

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.ourensemeeting.es>

Email: sales@ourensemeeting.es

Phone: +34 685 473 921

Address: Calle de Alcalá, 25, 28014 Madrid, Spain

This document is for informational purposes only. Specifications subject to change without notice.

